

mined a correction is made for the day and if necessary the year. The function FNN of line 40 is used in line 2040 to determine the number of days in the month.

Lines 2000 to 2060 form a similar subroutine to subtract the time.

Index

A

- Abbreviation for PRINT, 4-157
- ABS, 4-5
- Absolute value of a number, 4-5
- Address
 - absolute, 4-31
 - for storage, 4-29
 - in memory, 4-215
 - redefine starting, 4-51
 - return, 4-29
 - starting, 4-20, D-1
 - the highest used by BASIC, 4-29, 4-51
- ALARM, 4-6
 - in WAKE mode, 4-8
 - program to switch PX-8 on and off, 4-10
 - setting from BASIC, 4-6
 - using wildcards with, 4-6
- ALARM\$ to obtain ALARM settings, 4-12
- AND, 2-32
- Algebraic and BASIC expressions, 2-28
- Antilogarithms, 4-63, 4-118
- Arithmetic operations, 2-27
- Array
 - cancelling definitions, 4-59
 - dimensioning, 4-53
 - erasing, 4-59
 - subscripts, 4-53, 4-142
 - variables, 4-53, 4-142
 - subscripts base of, 4-142
 - subscripts minimum value of, 4-142
- ASC, 4-13
- ASCII
 - character set, 2-14, F-1
 - code, 2-14, 4-25, 4-145, 4-202, Appendix F, H-1
 - code table, 4-145, Appendix F
 - control code in, 2-15
 - format, 4-108, 4-109, 5-2
 - option for saving BASIC programs, 5-1
 - string, 4-129, 4-131
 - value of the first character of a string, 4-13
- ATN, 2-38, 4-14
- AUTO, 4-16
- Auto line numbering, 4-16

AUTO START, 4-17
Autostarting the PX-8, 4-17

B

“Bad file mode” error, 4-32

Back spacing, 2-4

BASIC

command syntax format, 4-2

editing lines, 2-3, 2-7

ending, 1-14

enhancements to, 1-1

entering from CP/M, 1-4

entering from the MENU, 1-4

entering with extended format commands, Chapter 3

EPSON enhanced PX-8, 1-1

extensions to, 1-7, 3-1

features of, 1-2

free memory available, 4-72

garbage collection, 4-72

installing, 1-3

Microsoft, 1-1

program, 2-1

program areas of, 1-2, 1-8

program area selection, 1-8

program menu, 1-8

program names, 1-4

“resident” 1-6, 1-12, 1-13

starting, 1-2, 1-4

terminated, 1-14

BEEP, 4-19

BS key, 2-4

Binary digits, 2-14, 2-16, 4-102

Boundary character, 2-44, 2-45, 2-52, 2-53, 2-54

Box, 4-102

Buffer

file output, 4-64, 4-74, 4-124, 4-152, 4-169, Chapter 5

printer output, 4-121

random file, 4-124, 4-131

RS-232C receive, 4-117

Byte, 2-14

(s), free in RS-232C buffer, 4-117

C

Calendar/clock

date, 4-45

day of the week, 4-46

time, 4-210

CALL, 4-20

Call

a machine language subroutine, 4-20

user defined function, 4-47

Cancel array definitions, 4-59

Change

filename, 4-133

microcassette tape, 4-132, 4-175

variables, 4-204

Characters special, 4-157

user defined graphics, C-12 Appendix H

CDBL, 4-21

CHAIN, 4-22, 4-35

Chaining and merging BASIC programs, 4-22

Character from ASCII code, 4-25

Checking keyboard input, 4-84, 4-91

CHR\$(X), 4-25

CINT, 2-37, 4-26

CLOCK, *See* calendar, date, day

CLOSE, 2-60, 4-32

Close all files, 4-29

CLEAR clears variables and memory space, 4-29

Clock setting, 4-210

CLR key, 2-5

CLS clear screen command, 4-34

Code

ASCII, F-1

Console Escape Sequences, C-1

Cold start, 1-11

Comma including, 4-87

Commands in BASIC, 2-1, 4-1

Command level, 1-9, 4-110, 4-127

COM0: 2-39, 2-57

COMMON, 4-22, 4-35

Communication protocol, 6-1

Comparison of strings, 2-35

Concatenation of strings, 2-35

Conditional branching, 4-81

CONFIG, 1-2, 1-4, 2-57

Constants

Double precision numerical, 2-19

Fixed point, 2-18

Floating point, 2-18
Integer, 2-18
list of, 4-43
numeric, 2-18
single precision numeric, 2-19
string, 2-18
substitute, 4-43
types of, 2-18, 4-43
CONT, 4-36
Control characters, 2-15
 see also CTRL and the respective keys
Control key, *see* CTRL
Converted numbers containing random digits, 2-23, 4-21
Conversion
 for logical operations, 2-25
 in arithmetic and relational operations, 2-24
 of floating point numbers to integers, 2-25
 of hexadecimal numbers to decimal, 4-79
 of Logs and Antilogs, 4-118
 of line style, 4-102
 of numbers to integers, 4-26
 of numbers to strings, 4-202
 of numeric expressions, 2-23, 4-21, 4-26
 of numeric values, 4-39, 4-124, 4-131
 of radians to degrees, 4-14, 4-49
 of single precision to double precision 2-25, 4-21
 problems arising from, 2-23, 2-26, 4-83
 string to numbers 4-42, 4-183, 4-214
 to double precision numbers 4-21, 4-26
 to single precision numbers 4-26, 4-39
Coordinates
 absolute screen, 4-101
 graphic, 2-48, 2-49, 4-101, 4-150, 4-155, 4-167
COPY, 4-37
COS, 2-38, 4-38
 incorrect values 4-38
"CP/M", command line, 1-4, 4-151
 return to, 1-14, 4-205
"CP/M", system prompt, 1-4
"CP/M", warm starts, 4-205
CSNG conversion to single precision numbers, 4-39
CSRLIN returns cursor line, 4-40
CTRL, *see also* Control key and the User's Manual
CTRL key
 with cursor keys, 2-51
 with HELP key, 1-17
 with INS key, 2-52
 with PF5 key, 1-15
 with STOP key, 1-17

CTRL + ← switch to virtual screen 1, 2-6
CTRL + → switch to virtual screen 2, 2-6
CTRL + ↑ in edit mode, 2-7
CTRL + ↓ in edit mode, 2-8
CTRL + A, move to beginning of logical line, 2-4, 2-9
CTRL + B, move back one word, 2-4
CTRL + C, halt BASIC program execution, 1-17
CTRL + E, erase rest of line, 2-5
CTRL + F, move to following word, 2-4
CTRL + G, sound speaker
CTRL + H, move cursor to left
CTRL + I, move cursor to next tab position
CTRL + J, divide logical line, 2-4, 2-10
CTRL + K, home cursor
CTRL + L, clear screen
CTRL + M, carriage return
CTRL + R, insert mode, 2-5
CTRL + S, to pause listing, 1-16
CTRL + U, moves to virtual screen 2
CTRL + W, moves to virtual screen 1
CTRL + X, move to end of line, 2-4, 2-9
CTRL + Z, erase reset of screen, 2-5, 2-11
Cursor keys, 2-3
Cursor
 current position, 4-40
 displaying on screen, 4-115
 file access buffer, 4-64
 record length, 4-65
 switch, 4-115
CVI/CVS/CVD convert strings for random access files, 4-42, 4-131
see also MKIS/MKSS/MKD\$, Chapter 5

D

DATA statement for storing data, 4-43
Data
 left-justified, 4-125
 "Out of data" error, A-6
 read 4-43, 4-179
 right-justified, 4-125
 substitute into variables, 4-172, 4-179
 temporary storage of, 4-64
 transfer of, 4-64
 types of, 2-14
 word length, 6-4, 6-5, 6-12

DATES\$, 4-45
 Date incorrect day, 4-46
 DAY, 4-46
 Decimal, 2-16
 Declaring types variables, 4-50
 Defining functions, 4-47
 numerical variables, 4-50
 DEFDBL, 4-50
 DEF FN, 4-47
 DEF INT, 4-50
 DEF SNG, 4-50
 DEF USR for call machine language subroutines, 4-51
 DEL key, 2-5
 DELETE, 4-52
 Delimiters
 between items, 4-89, 4-91, 4-108, 4-165, 4-226
 explicit 4-165, 4-226
 Derived functions, E-1
 Destroy
 contents of files, 4-32
 variables, 4-29, 4-126, 4-184
 Device
 names for file descriptors, 2-39
 Difference
 between INPUT# and LINE INPUT# , 4-108
 between International Character Sets, F-2
 Dimensioning of arrays, 2-22, 4-53
 DIM, 2-22, 4-53, 4-59
 Directory of disk, 4-66
 printing, 4-67
 Direct mode, 1-9
 Display data in specified format, 4-158
 Display screen
 changing mode of, 4-186
 changing width of, 4-186, 4-221
 drawing graphics on, *see* LINE, PRESET, PSET
 hard copy of, 1-17, 4-37
 locating characters on, 4-115
 output to printer", 1-17, 4-37
 Division, 2-27
 Integer, 2-28
 "Division by zero" error, 2-29
 Dot
 coordinates, 4-101, 4-167
 display, 4-167
 erase, 4-102
 reset, 4-102, 4-155
 return setting of, 4-150
 segment, 4-101

 set, 4-101, 4-167
 set or reset, 4-167
 turn off, 4-155
 turn on, 4-167
 Draw
 lines, 4-101
 rectangle, 4-102
 Drive name, 1-4
 DSKF, 2-60, 4-54

E

EDIT command, 2-7, 4-55
 EDIT Mode, 2-7, 4-55
 cursor keys in, 2-7
 termination, 2-7, 4-55
 Editing BASIC lines, 2-3 to 2-13
 practical guide, 2-9 to 2-13
 Editor, 2-3
 END, 4-57
 End
 of file, 4-58
 of program execution, 4-57
 EOF, 2-60, 4-58
 EQV, 2-32
 ERASE arrays, 4-59
 Erase
 dots, 4-101, 4-102, 4-155
 lines, 4-101
 variables, *see* CLEAR
 ERL, 4-60
 ERR, 4-61
 ERROR, 4-62
 Error(s)
 codes, 4-61, Appendix A
 fatal, A-2
 in direct mode, 4-60
 interrupted by, 4-36
 messages, 2-61, Appendix A
 numerical table of codes, A-10
 processing routine, 2-61, 4-60, 4-62, 4-136, 4-180
 recovery procedures, 4-60, 4-61, 4-62, 4-136
 rounding, 4-27
 simulation of, 4-62
 syntax, 4-136
 trapping, 4-60, 4-61, 4-62, 4-136
 user defined, 4-62

Errors
interrupted by, 4-36
rounding, 4-27
ESC key see also User's Manual
in edit mode, 2-7
sequences, C-1
Execution
interrupted, 4-36
stopping, 4-136
resume, 4-36
EXP, 4-63
Exponentiation, 2-27, 4-63
Expressions, 2-27

F

FIELD, 4-64
FILES obtaining the disk directory, 4-66
Files, 2-39
File(s) CHAPTER 5
closing, 4-32
creating, 5-1
data, 4-112
disk, 4-117, 5-1
disk device file, 4-140, Chapter 5
keeping open while loading a new program, 4-112
microcassette, 5-1
name extension, 4-112, 4-127
number, 2-40, 4-64, 4-89, 4-91, 4-114, 4-165, 6-2
program, 5-1
random access, 5-9
sequential, 5-3
FIX, 2-37, 4-26, 4-68
Fixed point constants, 2-18
Floating point constants, 2-18
FORNEXT, 4-69
Format for communications, 6-4
Format notation of commands
J or K, 4-4
X or Y, 4-4
X\$ or Y\$, 4-4
abbreviations in, 4-4
angle brackets, 4-2, 4-3
format notation, 4-2
full stops in, 4-4
options in, 4-3
quotation mark, 4-2
reserved words, 4-2

square brackets, 4-2
vertical bars, 4-4
Formatting characters, in international character set, 4-143, 4-164
FRE, 4-72
Functions, 2-37
derived, E-1
formula for obtaining, 4-49
inverse trigonometric, 4-49
user-defined, 4-47

G

Garbage collection, 4-72, H-15
GET, 2-60, 4-64, 4-74
GOSUB....RETURN, 4-76
GOTO or GO TO, 4-78
Graphic
commands, see draw, LINE, PSET, PRESET
mode, 4-101, 4-155, 4-167
screen coordinates, 2-49, 4-150

H

Hexadecimal, 2-16, 4-79
HEX\$, 4-79
HOME key, 2-4

I

IF....THEN ELSE, 2-30, 2-32, 4-61, 4-62, 4-81
IF....THEN GOTO, 4-81
IMP, 2-32
Indirect mode, 1-9, 1-10
INKEY\$, 4-84
INP obtaining data from the Input Port, 4-86
INPUT, 2-6, 4-87
INPUT #, 2-60, 4-89
INPUT\$, 4-91
Input/Output devices *see* I/O devices
Input
all characters, 4-108
fixed number of characters, 4-91

INS key, 2-5
Inserting characters, 2-5
INSTR, 4-93
INT, 2-37, 4-26, 4-94
Integer
 division symbol, 2-28
 errors, 4-26
 expressions, 4-4, 4-93
 ways of obtaining, 2-37, 4-26
International character sets, F-2, *see also* User's Manual
 Denmark, 2-14, 4-143, F-2
 England, 2-14, 4-143, F-2
 France, 2-14, 4-143, F-2
 Germany, 2-14, 4-143, F-2
 Italy, 2-14, 4-143, F-2
 Norway, 2-14, 4-143, F-2
 Spain, 2-14, 4-143, F-2
 Sweden, 2-14, 4-143, F-2
 U.S.A., 2-14, 4-143, F-2
International currency symbols, 4-145
International formatting characters, 4-164
I/O device support, 2-56
I/O devices
 and BASIC commands statements and functions, 2-60
 as file descriptors, 2-39, 2-56, 2-60
 input/output modes for, 4-140
 range of, 2-39, 2-60
 RAM disk, 4-112
 RS-232C interface, 6-1
 summary table of, 2-60
Interruption of BASIC program, 1-17

K

KEY command to set PF keys, 4-95
KEY LIST/KEY LLIST to list PF, 4-95
Keyboard
 buffer, 4-84, 4-91
 checking for input, 4-84, 4-91
 defining function keys, 4-95
 display of key definitions, 4-186
 input of data from, 6-14
 Programmable Function Keys, 1-15, 4-95
KILL, 4-97
KYBD: 2-39, 2-57, 2-60

L

Last Reference Pointer, 4-101, 4-155, 4-167
LEFT\$, 4-98
LEN, 4-99
LET, 4-100
LINE, 4-101
Line
 complete, 4-102
 dashed, 4-102
 draw, 4-101
 feed, 4-226
 logical, 2-3
 style, 4-101
LINE INPUT, 2-6
LINE INPUT #, 2-60, 4-108
Line numbers *see* program line numbers
LIST, 2-60, 4-109
LLIST, 4-111
LOAD, 2-60, 4-112
LOC, 2-60, 4-114
LOCATE, 4-40, 4-115
LOF, 2-60, 4-117
LOG, 4-63, 4-118
logarithm (LOG), 4-118
Logical line, 2-3
Logical operation, 2-32
LOGIN, 4-120
Logging in to BASIC program areas, 1-8
Loops, 4-69, 4-218, 4-219
Losing programs, 1-5, 1-7, 1-3
LPOS, 4-121
LPRINT LPRINT USING, 4-122
LRP, 4-101, 4-155, 4-167
LSET, 4-124

M

Machine code
 area, 4-29
 program, 4-29
Machine language
 programs memory for, 4-29
 programs starting address, 4-51
 programs used as subroutines by BASIC, 4-51
 programs, user-written, 4-51
 programs, writing to memory, 4-151

subroutine, Appendix D
subroutine, calling, 4-20
subroutine, parameters for, 4-20
subroutine, starting address of, 4-20, 4-29
see also USR

Memory

buffer for random access files, 4-64
destruction of data in, D-1
for machine language programs, 4-29
location, 4-29, 4-149
map, 4-151, G-1
"Out of memory" error, A-7
upper boundary, 4-29
write data into, 4-151

MENU, 4-17, 4-126

MENU

entering BASIC from, 1-4 to 1-6
setting up to run BASIC programs, 1-7, User's Manual

MERGE, 4-127

Messages

"?Redo from start", 4-87
"Bad file mode", 4-32, 4-127
"Division by zero", 2-29
"Duplicate definition", 4-142
"Field overflow", 4-65, 4-170
"File already exists", 4-133
"File not found", 4-66, 4-133
"Illegal function call", 4-93, 4-120, 4-134, 4-137, 4-147
"Out of data", 4-172
"Overflow", 2-29
"RESUME without error", 4-180
"Tape access error", 4-132, 5-14, 5-16
"Type mismatch error" 4-50, 4-204
"Undefined line number" 4-78
"Undefined line xxxxx in yyyy", 4-176

MICROCASSETTE drive (Drive H:)

counter, 4-209, 4-224
files on, 5-1
MOUNT, 4-132, 4-175
open mode for, 4-140
play mode, 4-224
REMOVE, 4-132, 4-175
removing tape, 4-175
restriction on use, 5-14
sound output to speaker, 4-224
tape directory, 4-132, 4-175
WIND, 4-224
write directory to, 4-175

MID\$, 4-129

MKIS/MKSS/MKDS\$, 4-131
MOD, 2-27
Modulus arithmetic, 2-27, 2-28
Mode
 continue, 4-153
 screen, *see* SCREEN
 trace, 4-212
MOUNT, 4-132, 4-175

N

NAME, 4-133
Natural logarithms, 4-118
Nested loops, 4-69, 4-70
NEW, 4-134
Non Tracking mode, 2-46
NOT, 2-32
Null string, 4-84, 4-98, 4-181
Numbers
 binary, 2-33
 hexadecimal, 2-16, 4-79, 4-214
 octal, 2-16, 4-135, 4-214
Numeric
 expressions, 4-4
 constants, 2-18
 data, 2-16
 value rounding, 4-26
 value whole number, 4-26
Octal, 2-16, 4-135
OCT\$, 4-135
ON ERROR GOTO, 4-136
ON GOSUB/ON GOTO, 4-137
OPEN, 4-140
OPEN "I", 2-60
OPEN "O", 2-60
OPEN "R", 2-60
Operations, 2-27
 relational, 2-30
OPTION BASE, 4-142
OPTION COUNTRY, 4-143
OPTION CURRENCY, 4-145
Options
 ASCII to save BASIC programs as text files, 5-1

asterisks as wildcards, 4-6
communications "blpscxh", 6-4
wildcard, 4-6, 4-66

OR, 2-32

OUT, 4-146

Output

data to a printer, 4-37, 4-121, 4-122
program in memory to devices, 4-185
screen to printer 4-37 "Overflow error", 2-29

P

PAUSE key, 1-16

PCOPY, 4-147

PEEK, 4-149

PF keys, 1-15, 1-16

setting, *see* KEY, 4-95

PI (ratio of circumference to diameter of a circle), 4-14

POINT, 4-150

Points of graphic screen *see* Dot, LINE, PRESET, PSET

Pointer

last reference, 4-101
print head, 4-121, 4-152

POKE, 4-151

POS, 2-60, 4-152

Position

of cursor, 4-152
of file output buffer, 4-152
of print head, 4-152

POWER, 4-153

ALARM, 4-153

Power

automatically turn off, 4-153
duration, 4-153
on and off, 4-153
switch, 4-153
turn back on, 4-153
turn off, 4-153

Practical Guide to the Screen Modes, 2-50

Precision single and double, 4-42

PRESET, 4-155

PRINT, 4-156

PRINT abbreviation for, 4-157

PRINT #, 2-60, 4-165

PRINT USING, 4-158

PRINT # USING, 2-60, 4-165

Printer

LPOS, 4-121

control characters of, 4-121

column of, 4-206

list to, 4-111

output mode for, 4-140

output to, 4-122

output screen to, 4-37

print head pointer, 4-121

width of, 4-206

Program

commenting, 4-174

delete from memory, 4-134

merge, 4-127

protect, 4-134, 4-211

transfer between program areas, 4-147

Programmable Function Keys, 1-15

Program areas, 2-2

being resident in, 4-9, 4-17, 4-147

currently logged in, 4-126

executed in, 4-17

LOGIN to, 1-8, 4-120

no. 4-120, 4-147

selecting, 2-2, 4-120, 4-126

titling, 2-2, 4-211

transfer between, 4-120, 4-147

Program

error trapping, 4-60, 4-136

with ASCII codes, 4-25

branched, 4-76, 4-78, 4-136, 4-137

continuing, 4-180

resuming, 4-36, 4-60, 4-78

stopping, 4-57, 4-200

using the same data with different, 4-35

Program lines, 2-1

maximum length, 2-1

Program line numbers, 2-1

deleting, 4-52, 4-134

listing, 4-109, 4-111

merging, 4-24, 4-127

non-existent, A-5

renumbering, 4-176

resume execution at a particular, 4-36, 4-180

subroutines, 4-76

Program listings,

pausing, 1-16

PSET, 4-167

PUT, 2-60, 4-64, 4-169

PX-8 BASIC features of

Q

Question mark abbreviation for PRINT, 4-157
Quotation marks character, 4-89, 4-91, 4-106

R

Random Access
 devices, 2-56
 file buffer, 4-64, 4-74, 4-124, 4-169
 file, field, 4-64
 record length, 4-64
RANDOMIZE, 4-83, 4-171
Random numbers in fixed ranges, 4-182
READ, 4-172
Real Screen, 2-41
REM, 4-174
REMOVE, 4-175
RENUM, 4-176
Replace string, 4-129
Reset screen mode and size, 4-127, 4-186
RESET, 4-178
RESTORE, 4-179
RESUME, 4-180
Resuming an interrupted program, 4-36
RETURN key, 1-14, 2-5
RIGHT\$, 4-181
RND, 4-182
ROM Capsules, 2-60
RUN, 4-184
RUN and GOSUB, 4-76

S

SAVE, 2-60, 4-185
SCREEN, 4-186, 4-189
Screen
 character coordinates, 2-48
 graphic coordinates, 2-49
 dump to printer, 1-17, 4-37
SCREEN command, 2-50 to 2-55, 4-186
Screen Editor, 2-3
Screen Modes, 2-42
 practical guide, 2-50
Screen Mode 0 (80 column text screen mode), 2-43, 2-51, 4-186 to 4-188
Screen Mode 1 (39 column text screen mode) 2-43, 4-186 to 4-188

Screen mode 2 (split screen mode), 2-45, 4-186 to 4-188
Screen mode 3 (graphics mode), 2-46, 4-101, 4-186 to 4-188
SCRN: 2-39, 2-57
SCRN key, 2-49, 2-52, 2-54 *see also* the User's Manual
SCRN DUMP key (CTRL-PF5), 1-17
Scrolling control
Search for a substring, 4-93
Secret mode, C-2, C-4
Sequential
 access devices, 2-57
 input mode, 4-89
 output file, 4-165
 output mode, 4-140
 open, 4-89, 4-140, 4-165
 read data into variables from file, 4-89, 4-108
 read items from, 4-89
SGN, 4-190
SIN, 2-38, 4-191
Size
 of a file, 4-117
 record, 4-117
 stack area, 4-29
SOUND, 4-192
SPACES\$, 4-195
Space on drive, 4-54
Speaker, 2-58
 in ALARM, 4-6
 BEEP, 4-19
 frequency of sound by, 4-19, 4-192
 length of sound by, 4-19, 4-192
 to "beep", 4-25
 tone of, 4-19, 4-192
Speeding up programs with garbage collection, 4-72
SPC, 4-196
SQR, 4-197
Stack
 clearing, 4-29
 space, 4-29
 stack area size, 4-29
STAT, 4-198
Statements, 2-1
STOP, 4-200
STOP key, 1-17, 2-5, 4-36
 CTRL and STOP key, 1-17
 disabling, 1-17, 4-201
STOP KEY, 4-201
STR\$, 4-202
String
 2-byte, 4-byte or 8-byte, 4-42, 4-131

alarm message, 4-6, 4-12
auto start, 4-17
character, 4-91
comparisons, 2-35
concatenation, 2-35
expressions, 4-4
first occurrence of, 4-93
format, 4-158 to 4-164
joining, 2-35
justify, 4-125, 4-158
length of 4-99
literals, 4-93
manipulation *see* LEN, LEFT\$, MID\$, RIGHT\$
null, 4-13, 4-93
numeric to string, 4-202
operations, 2-35
prompt, 4-106
searching, 4-93
string to numeric, 4-214
substitute in a, 4-129
values, 4-42
variables, 4-21

STRING\$, 4-203
Suppress carriage return after INPUT, 4-87
Subroutines, 4-76
SWAP, 4-204
Switching the PX-8 on and off under program control, 4-10
SYSTEM, 4-205
System Display, 1-12, 1-17
System variables, 4-45, 4-46

T

TAB, 4-206
TAB key, 2-3
TAN, 2-38, 4-208
TAPCNT, 4-209
TIME alarm, 4-6
 altering, 4-10, 4-210
 clear alarm or wake, 4-10
 control of, 4-10
 setting, 4-6, 4-210
 system variable of, 4-6

TIMES\$, 4-12, 4-210
 specified, 4-12
TITLE, 4-211
Trigonometric functions, 2-38, *see also* ATN, COS, SIN, TAN
 deriving, Appendix E
TRON/TROFF, 4-212
Two's complement binary number, 2-33
Tracking mode, 2-47
Trailing spaces, 4-43
True and False, 2-30, 4-83
Type of variables, 4-50

U

Undefined line number, 4-78
User defined
 characters, C-12, H-1
 error code, 4-61
 function, 4-47
USR, 4-213

V

VAL, 4-79, 4-214
Variable name(s)
 type declaration of, 4-50
 array, 2-22, 4-35
 clear all, 4-29
 destroyed, 4-30
 memory location for, 4-29
Variables
 passing between programs, 4-35
 resetting all, 4-29
 system, 4-6, 4-45
 numerical type declaration characters, 2-21
 type declaration of, 2-21, 4-50
 types of, 2-21, 4-43, 4-50
 wildcard, 4-6
VARPTR, 4-215
Virtual screen, 2-41, 4-186, 4-189
 changing 2-50, 4-186
 clear, 2-51, 4-34
Virtual Screen Window, 2-42, 4-40, 4-186

W

WAIT, 4-218
WAKE from ALARM setting, 4-8
Warm start, 1-11
WHILE...WEND, 4-219
WIND ON, 2-58, 4-224
OFF, 4-224
WIDTH, 2-60, 4-221
 in SCREEN command 2-50, 2-52, 2-54, 4-186 to 4-188
WRITE, 2-60, 4-225
WRITE #, 4-226

X

XOR, 2-32

EPSON OVERSEAS MARKETING LOCATIONS

EPSON AMERICA, INC.

3415 Kashiwa Street
Torrance, CA 90505 U.S.A.
Phone: (213) 539-9140
Telex: 182412

EPSON UK LTD.

Dorland House
388 High Road,
Wembley, Middlesex, HA9 6UH, U.K.
Phone: (01) 902-8892
Telex: 8814169

EPSON DEUTSCHLAND GmbH

Am Seestern 24
4000 Düsseldorf 11
F.R. Germany
Phone: (0211) 5952-0
Telex: 8584786

EPSON ELECTRONICS (SINGAPORE) PTE. LTD.

No.1 Maritime Square, #02-19
World Trade Centre
Singapore 0409
Phone: 2786071/2
Telex: 39536

EPSON ELECTRONICS TRADING LTD.

Room 411, Tsimshatsui Centre,
East Wing, 66, Mody Road
Tsimshatsui Kowloon, Hong Kong
Phone: 3-694343/4
 3-7213427
 3-7214331/3
Telex: 34714

EPSON ELECTRONICS TRADING LTD. TAIWAN BRANCH

1,8F K.Y. Wealthy Bldg. 206, Nanking
E. Road, Sec, 2, Taipei, Taiwan, R.O.C.
Phone: 536-4339
 536-3567
Telex: 24444

EPSON FRANCE S. A.

114, Rue Marius AUFAN
92300 Levallois-perret
France
Phone: (1) 758-77-00
Telex: 614169

EPSON AUSTRALIA PTY. LTD.

Unit 3, 17 Rodborough Road
Frenchs Forest, NSW 2086
Australia
Phone: (02) 452-5222
Telex: (71) 75052
